Work Orde March-12-13 1:		47 7		*982	177*				74		Page 1
Revision ID:	D3833-7 Mesh (Lid End	i)		Accept	*N900	040	100)* _S	etup Sta Sto	1 1	S1* S2*
Start Date: Required Date: Reference:	3/20/13 3/20/13	Start Qty: 8.00 // Req'd Qty: 8.00	*9*		Cust Item I Customer:	D:		•			
Approvals:	Process Pla	n: <u>И</u> ЦБ	Date: /3-03-			ate:		R	un Sta Sto	1/1	R1* . R2*
Sequence ID/ Work Center II)	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr									
D3833	В										
*100 *100*		FLOW WATER JET		0.00				8	6		JM13-3-18
Waterjet FLOW CNC Waterj	et	Memo 1-Cut as per Dwg Rev: Prog Rev: 2-Deburr if n	_B	0.00						•	
110		QC2-Inspect parts off ma	achine FAI/FAIB	0.00							

0.00

Memo

Quality Control

										DQA:	Dat	e:	
NCR: Y	es /	No			WORK ORDER NON-	CON	JFORN	AANCE / UPDATE		QA Closed:	 Dat	۵٠	
Vork Orde	r:				DISPOSITION			AGAINS	ST DE	PARTMENT,			
Part N					Rework Scrap Use-as-is] -	N	Skid-tube Crosstub Machining Small Fa noforming Finishin	b	4 1	Water Jet d. Eng. Coor. re/Packaging	E	Engineering Quality Other
NCR N	o				 Work Order Update	_	l	Large Fab Composit	-	l l	Supplier		Other
Root Cause		Date	Step	Qty	ption of work order update or Non-conformance		nitial ief Eng	Action Description		Sign & Date	Verification		QC Inspector
oc/Data quip/Tooling perator laterial etup ther rocess upplier raining													
					F	AUL	T CATE	GORY					
Landir	Be Ce Cr Cr Cu Hi In Ri	ending entre No acks rushed/G uffs eat Trea spectior pples in orque W	n Strip in	Tube	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing Finish		Instructi Mainte Mislabe Misread Offset Out of C	on Incomplete ions Incomplete/Unclear enance eled		Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing	Ter	rong Stock Pulled
	_	-	ist in Tul		Folio	_	1	Dimensions					

Work Orde		177 .		*984	177*						Page 2
tem ID: Revision ID:	D3833-7 Mesh (Lid End	1)	earma musiga artaina <u>Laad</u> 22 °C	Accept	*N900	040	100	* S	etup Start Stop		S1* S2*
Start Date: Required Date: Reference:	3/20/13 3/20/13	Start Qty: 8.00 Req'd Qty: 8.00	*8* *8*		Cust Item II Customer:	D:		_	C ()	, .	
Approvals:		n:		,	_	ate:		R	tun Start Stop	*N *N	R1* R2*
Sequence ID/ Work Center II 120 *170* QC Quality Control	D	Operation Description QC8- Inspect parts - sec	ond check	Set Up/ Run Hours 0.00 0.00 SM	Tool ID	Tool#		Accept Qty		Reject Number	Insp. Stamp
*130 *130* Packaging Packaging		Identify as per dwg & S Memo	tock Location: WA	7 0.00 0.00	Cp(13.3	3.20	(8			
140 *140* QC		QC21- Final Inspection	- Work Order Release	0.00				. <u>N</u>	NLJ 13	-03-	ZD

Quality Control

											DQA:	Dat	e:
NCR: Y	es	/ No				WORK ORDER NON-	COI	VFORM	MANCE / UPDATE) QA Closed:	 Dat	e:
Vork Orde	r:				, · · ·	DISPOSITION			A	GAINST DEF	PARTMENT	/PROCESS	
Part N NCR N	lo.					Rework Scrap Use-as-is Work Order Update		Therm	Machining Sn noforming Fi	osstube mall Fab inishing mposite	í	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root Cause		Date	Step	Qty		ription of work order update or Non-conformance	1	nitial nief Eng	Action Description	n	Sign & Date	Verification	QC Inspector
oc/Data quip/Tooling perator flaterial etup ther rocess upplier raining													
			1	L	·		FAUL	T CATE	GORY				
Landiı	ng (Gear	-		, , , , , , , , , , , , , , , , , , , 	General					1		
		Bending Centre No Cracks Crushed/G Cuffs Heat Trea Inspection Ripples in Torque W	Crimped at n Strip in 1 Bend	Tube		Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing		Instruct Mainte Mislabe Misread Offset	on Incomplete ions Incomplete/Unclea nance led	ar	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ssing E	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
	\vdash	Turning S			" -	Finish		4	Sequence	•	1		

Outside Dimensions

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

March-12-13 1:56:54 PM

Work Order ID:

98477

Parent Item:

D3833-7

Parent Item Name:

Mesh (Lid End)

Start Date: 3/20/13

Required Date: 3/20/13

Page 1

Start Qty: 8.00

Required Qty: 8.00

Comments:

IPP REV:A 12 07 27 AS PER DWG REV.B DD VERE:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location		Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304EX0.75-16F Expanded Metal Flat SS		Purchased	No	-		100	sf	761.9651	0.803	6 .762105 3 7.0	/=	Dr. J. abor abbri	Jm13-3
				Location		Loc Qty	<u>Lo</u>	c Code					
				WA		212.4000637							
					124070	0.00006372							
					124466	212.4							
				WA007		549.565							
					122534	160							
					123448	15.96							
					124347	53.605							
					124840	320			150	1840			

NCR: Yes / No
NCR: Yes / No

MACON ODDED NON CONFORMANCE / LIDDATE

DQA:	Date:	
1	 •	

NCR: Y	es / No				WORK ORDER NON-C	CONFO	RIVIAINCE / UI	PDATE	QA Closed:	Date	:
Work Orde	r.				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Work Order	••				Rework]	Skid-tube	Crosstube] ;	Water Jet _	Engineering
Part N	0				Scrap]	Machining	Small Fab	⊣ .	d. Eng. Coor.	Quality
					Use-as-is	The	rmoforming	Finishing	Rec/Sto	re/Packaging	Other
NCR N	lo				Work Order Update]	Large Fab	Composite	_	Supplier	
Root				Descri	ption of work order update	Initial	A	ction	Sign &		
Cause	Date	Step	Qty	·	or Non-conformance	Chief Er	g Des	cription	Date	Verification	QC Inspector
Doc/Data									1		
quip/Tooling											
Operator											
Material		1							1 i		
Setup											
Other											
Process											
Supplier											
Training											
Unapproved		<u> </u>	<u> </u>		·	<u></u>					
					F	AULT CA	TEGORY		1 .		
Landir	ng Gear				General			_	, i	-	_
	Bending				Bend	Grain	ו		Ovalized		Pressure/Forced
	Centre N	ot Conce	ntric to	o/s	BOM/Route	Hard	ware		Over/Under	tolerance	Temperature/Cure
	Cracks			L	Broken/Damaged	Inspe	ction Incomplete		Part Incorre	ct	Weld
	Crushed	/Crimped		_	Burrs	Instr	ictions Incomplete	e/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs				Contamination	Mair	itenance		Part Moved		
	Heat Tre	at			Countersink	Misla	beled		Positioned V		- 1
	Inspection	on Strip ir	1 Tube		Cut Too Short	Misre	ead		Power Loss/	'Surge	Other
	Ripples i	n Bend			Drill Holes	Offse	t				
	Torque V	Waves in	Extrusio	n [Drawing	Out	of Calibration		1		
	Turning	Sequence	è		Finish	Out	of Sequence				
	Wave/Tv	wist in Tu	be		Folio	Outs	de Dimensions				

DART AEROSPACE LTD	Work Order:	98477
Description: Mesh, Lid End	Part Number:	D3833-7
Inspection Dwg: D3833 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
4.67	+/-0.030	4.67"	_		V	Jamos
24.75	+/-0.030	4.67"	-		<u> </u>	JAMO6
				\sim		

Meas	ured by:	IM	Audited by:	SM	Preliminary A	pproval:	
	Date:	13-3-18	Date:	BIB		Date:	<u> </u>
Rev	Date	Change	· · · · · · · · · · · · · · · · · · ·		Revis	ed by /	Apprøyed
Α	12.09.26	New Issue			KJ	94	CM/
	I					" (<i>)</i>	

D3833-3 MESH, LID END D3833-5 MESH, LID END D3833-1 MESH, BASE END FACE

B D3833-7 MESH, LID END

ENGLAGES UNCONTROLL . 1

SUBJECT TO AMEND: 1

WITHOUT POTICE

WORK ORDER NO. 98477 MC= 13-03-13



В	ADD D3	8833-7. REASO	DN: PAR10-50.	MB	12.05.30				
Α	NEW IS	SUE		MB	08.09.23				
REV.			DESCRIPTION BY DAT						
DESIG	N_		DART AEROSPA	CF I	TD				
DRAW	N	====3_	HAWKESBURY, ONTARIO						
CHEC	ŒD	48	DRAWING NO.		REV. E				
MFG. A	PPR.	DA 0	D3833		SHEET 1 OF				
APPRO	VED	W	TITLE		SCALE				
DE API	2R.		MESH, BASKET END		NTS				
DATE	12.0	5.30	COPYRIGHT © 2008 BY DART AEROSPACE LTD THE DOCUMENT IS PRIVATE AND CONFEDENTLY, AND IS EMPILED ON THE EMPILES CONSTROY THAT IT IS NOT TO BE USED FOR ANY PURPOSE OF COMPANIENTED TO ANY OTHER PRIVATION WHIGH THE						

NOTES:
1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH, 3/4-16F REF. DART SPEC. M304EX0.75-16F
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: D3833-1 = 0.30 lbs; D3833-3 = 0.22 lbs; D3833-5 = 0.06 lbs; D3833-7 = 0.30 lbs

